

Figure 1




Figure 2




Figure 4

704




Figure 5




Figure 6





Figure 7



**Edit** Site Name URL Marketplace Remove Marketplace **Properties Espirant** Edit Marketplace Remove 192.168.0.89 Auction **Properties** Marketplace Show Commerce Status Edit Properties Last Updated Suppliers Model Edit Delete **Fields** 3/21/2001 Items Import Edit Show Edit 12:04:08 PM Delete **Properties Fields Business** 3/22/2001 8:53:22 Category Import Edit Rules Edit Delete **Properties** Fields 3/22/2001 8:53:46 Users Import Edit Edit Delete **Properties** Fields Add new commerce model Acme Edit Marketplace Remove www.acme.espirant.com **Properties** Marketplace Show Commerce Suppliers **Last Updated** Edit Model Status Edit **Properties** Delete **Fields** 9/15/2000 Store Edit Show Edit 10:53:41 AM Delete **Properties** Fields **Business** 12/5/2000 5:02:21 Auction Edit Rules Edit PM **Properties** Delete Fields Add new commerce model **USBid** Edit Marketplace Remove www.usbid.com Properties Marketplace Show Commerce Last Updated Edit Status Suppliers Model Edit Properties Delete Fields 6/22/2000 Auction Edit Show Edit 10:29:30 AM **Properties** Delete Fields Business 6/22/2000 Fixed Price Edit Edit Rules 10:30:29 AM **Properties** Delete Fields 6/22/2000 Exchange Edit Edit 10:29:57 AM **Properties** Delete Fields 9/15/2000 **RFQ** Edit Edit 10:53:41 AM **Properties** Delete **Fields** Add new commerce model Add new marketplace

ij.

Uploade	Uploaded Files with Status: Files Ready for Manual Upload										
Switch to:   Failed Manual Upload Files   Pending Files											
Upload ID	Seller ID	Commerce Model	Filename	Status	Date Uploaded	Action					
54	12345	Fixed Price	dbftest.dbf	MR	-	Process					
55	12345	Fixed Price	Zoom2- 18&1.xls	MR		Process					
59	12345	Fixed Price	parts.csv	MR		Process					
57	12345	Fixed Price	FixedWidth.txt	MR		Process					
58	12345	Fixed Price	FixedWidth.zip	MR		Process					

**Process** 

## **Business Rules for Marketplace: Espirant Auction**

Itomo I

Business I	Rules for Mod	lel: Items	Import	2			
Business Rule Name		Order Of Execution	Supplier	Model	Edit Params	Status	Control
Concat Item Descr	Concat Item Descr	4000	All	Items Import		I	Activate
Apply a Business Rule							

## Business Rules for Marketplace: Espirant Auction

	Business						
Business Rule Name	Rule Description	Order Of Execution	Supplier	Model	Edit Params	Status	Control
Add Error Description	Add the error description row	500	All	All	Edit Params	Α	Deactivate
Add Error Flag	Add the error flag column	500	All	All		Α	Deactivate
AddMpColumns	Add unmapped columns to the fixed table	8300	All	All		Α	Deactivate
Apply a Business Rule							

	<u>/</u>				
Rule Name	Rule Description	EditFlag	Туре	Last Updated	Stored Proced
Add Error Flag	Add the error flag column	Pre-edit	DXINTERNAL	3/23/2001 2:44:23 PM	usp_BRGAddErrFlaç
Add Error Description	Add the error description row	Pre-edit	DXINTERNAL	1/9/2001 2:37:16 PM	usp_BRGAddErrDes
Set Trans Type	Set Trans Type to espirant internal number	Pre-edit	DXINTERNAL	2/24/2001 1:18:45 PM	usp_BRMSetTransT;
Fix Minimum Q Ascii 160	Remove minq ascii160 char	Pre-edit	Text_Clean	2/10/2001 2:26:38 PM	usp_BRMFixMinQAs
Fix Minimum Q Comma	Remove minq comma	Pre-edit	Text_Clean	2/10/2001 2:26:45 PM	usp_BRMFixMinQCc
Fix Minimum Q Dollar	Remove dollar sign from minq	Pre-edit	Text_Clean	2/10/2001 2:27:00 PM	usp_BRMFixMinQDc
Fix Minimum Q Percent	Remove % sign from minq	Pre-edit	Text_Clean	2/24/2001 1:50:21 PM	usp_BRMFixMinQPe
Fix Pack Quantity Ascii 160	Remove Pk Qty ascii160 char	Pre-edit	Text_Clean	2/10/2001 2:24:17 PM	usp_BRMFixPackQt
Fix Pack Quantity Comma	Remove pk qty comma	Pre-edit	Text_Clean	2/10/2001 2:24:31 PM	usp_BRMFixPackQt
Fix Pack Quantity Dollar	Remove dollar sign from Pk Qty	Pre-edit	Text_Clean	1/23/2001 1:58:08 PM	usp_BRMFixPackQt
Fix Pack Quantity Percent	Remove % sign from Pk Qty	Pre-edit	Text_Clean	2/24/2001 1:50:34 PM	usp_BRMFixPackQt
Fix Quantity Ascii 160	Remove qty ascii160 char	Pre-edit	Text_Clean	2/10/2001 2:24:52 PM	usp_BRMFixQtyAsci
Fix Quantity Comma	Remove qty comma	Pre-edit	Text_Clean	2/10/2001 2:25:05 PM	usp_BRMFixQtyCorr
Fix Quantity Dollar	Remove dollar sign from Qty	Pre-edit	Text_Clean	1/23/2001 1:58:21 PM	usp_BRMFixQtyDolli
Fix Quantity Percent	Remove % sign from Qty	Pre-edit	Text_Clean	2/24/2001 1:39:15 PM	usp_BRMFixQtyPerc
Fix Subprice Ascii 160	Remove subPrice ascii160 char	Pre-edit	Text_Clean	2/10/2001 2:25:22 PM	usp_BRMFixSubpric
Trim Subprice	Remove spaces from subprice	Pre-edit	Text_Clean	1/23/2001 2:52:59 PM	usp_BRMTrimSubpri
Concat Rem Descr	Concat Item Descr	Pre-edit	Text_Clean	3/23/2001 2:13:02 PM	usp_BRMConcatlten
Fix Qty null decimal	set qty to space where qty only contains decimal point	Pr <del>e-e</del> dit	Text_Clean_2	2/24/2001 1:38:41 PM	usp_BRMFixQtyNull
Fix MINQ Null Decimal	SET MINQ to space where MINQ only contains decimal point	Pre-edit	Text_Clean_2	2/24/2001 1:49:44 PM	usp_BRMFixMinqNu
Fix PackQty Null Decimal	set PackQty to space where packqty only contains decimal	Pre-edit	Text_Clean_2	2/24/2001 1:50:57 PM	usp_BRMFixPackQt


Figure 13B


Concatenate Part Number	Join the part number prefix, base and suffix columns	Pre-edit	DERIVED ROWS	2/10/2001 2:28:01 PM	usp_BRMConcatPN
Set Lead Time	set the LeadTime column	Pre-edit	DERIVED ROWS	2/10/2001 2:28:16 PM	usp_BRMSetLeadTit
Set Floor Price	Set floorprice col using floor factor param	Pre-edit	DERIVED ROWS	2/12/2001 2:54:59 PM	usp_BRMSetFloorPr
Set Increment	Set bid incr based on floor col val	Pre-edit	DERVIED Rows_2	2/12/2001 1:43:43 PM	usp_BRMSetincrema
Fix Minimum QE to Decimal	set exp vals to decimal and truncate decmial	Pre-edit	Data_Scrub	2/23/2001 5:09:45 PM	usp_BRMFixMinQEt
Fix Minimum Q K	Multiply k by 1000 in minq	Pre-edit	Data_Scrub	2/12/2001 9:28:41 AM	usp_BRMFixMinQK
Fix Minimum QM	Multiply minq m by 1,000,000	Pre-edit	Data_Scrub	2/12/2001 9:28:48 AM	usp_BRMFixMinQM
Fix Pack Quantity E to Decimal	set exp vals to decimal and truncate decmial	Pre-edit	Data_Scrub	2/23/2001 5:09:30 PM	usp_BRMFixPackQt
Fix Pack Quantity K	Multiply k by 1000 in Pk Qty	Pre-edit	Data_Scrub	2/12/2001 9:29:30 AM	usp_BRMFixPackQt
Fix Pack Quantity M	Multiply Pk Qty m by 1,000,000	Pre-edit	Data_Scrub	2/12/2001 9:29:38 AM	usp_BRMFixPackQt
Fix Quantity E to Decimal	set exp vals to decimal and truncate decmial	Pre-edit	Data_Scrub	2/23/2001 5:09:10 PM	usp_BRMFixQtyEto[
Fix Quantity K	Multiply k by 1000 in Qty	Pre-edit	Data_Scrub	2/12/2001 9:30:20 AM	usp_BRMFixQtyK
Fix Quantity M	Multiply Qty m by 1,000,000	Pre-edit	Data_Scrub	2/12/2001 9:30:37 AM	usp_BRMFixQtyM
Remove Refurb	Removes records if condition col shows not new	Pre-edit	Data_Scrub	2/12/2001 5:51:01 PM	usp_BRMRemoveRe
Remove Sub Price Non Numeric	Remove Sub Price Non Numeric	Pre-edit	Data_Scrub	1/16/2001 11:35:49 AM	usp_BRMRmvSubPr
Set USBID commerce model	insert the commerce model id	Pre-edit	Data_Scrub	2/23/2001 2:54:43 PM	usp_BRMSetUSBIDI
remove non numeric UserID	remove non numeric UserID	Pre-edit	Data_Scrub	3/23/2001 11:45:50 AM	usp_BRMRmvUseric
Fix Minimum Q Decimal	Truncate minq decimal value	Pre-edit	Data_Scrub_2	2/24/2001 1:51:23 PM	usp_BRMFixMinQDe
Fix Pack Quantity Decimal	Truncate Pk Qty decimal value	Pre-edit	Data_Scrub_2	2/24/2001 1:51:45 PM	usp_BRMFixPackQt
Fix Quantity Decimal	Truncate qty decimal value	Pre-edit	Data_Scrub_2	2/24/2001 1:39:57 PM	usp_BRMFixQtyDeci
Set Minimum Q	Set Min Qty to 0 where min Q is non numeric	Pre-edit	Data_Scrub_2	2/24/2001 1:57:53 PM	usp_BRMSetMinQ
Set Pack Qty	Set Pack Qty	Pre-edit	Data_Scrub_2	2/24/2001 1:59:34 PM	usp_BRMSetPackQt
Set SellerID	adds the sellerid to the fix table	Pre-edit	Data_Scrub_2	2/21/2001 8:14:13 AM	usp_BRMSetSellerIC
Remove Min Q	Remove Min Q			2/24/2001	

Fijure 13 C


		× .	,			
1	Greater than 100m	Greater than 100m	Pre-edit	Data_Scrub_3	1:58:08 PM	usp_BRMRmvMinQ(
	Remove Min Q Less than 0	Remove Min Q Less than 0	Pre-edit	Data_Scrub_3	2/24/2001 1:58:25 PM	usp_BRMRmvMinQl
	Remove Min Q Non Numeric	Remove Min Q Non Numeric	Pre-edit	Data_Scrub_3	2/24/2001 1:58:36 PM	usp_BRMRmvMinQf
	Remove Pack Oty Greater than 100m	Remove Pack Qty Greater than 100m	Pre-edit	Data_Scrub_3	2/24/2001 1:59:15 PM	usp_BRMRmvPack(
	Remove Pack Qty Less than 0	Remove Pack Qty Less than 0	Pre-edit	Data_Scrub_3	2/24/2001 1:58:47 PM	usp_BRMRmvPackC
	Remove Pack Qty Non Numeric	Remove Pack Qty Non Numeric	Pre-edit	Data_Scrub_3	2/24/2001 1:59:01 PM	usp_BRMRmvPackC
	Remove Qty Greater than 100m	Remove Qty Greater than 100m	Pre-edit	Data_Scrub_3	2/24/2001 1:40:17 PM	usp_BRMRmvQtyGt
	Remove Qty Less than 0	Remove Qty Less than 0	Pre-edit	Data_Scrub_3	2/24/2001 1:40:31 PM	usp_BRMRmvQtyLt(
	Remove Qty Non Numeric	Remove Qty Non Numeric	Pre-edit	Data_Scrub_3	2/24/2001 1:40:48 PM	usp_BRMRmvQtyNc
	Set Category Code	Sets the cat code parameter	Pre-edit	Set_Param	1/23/2001 2:52:35 PM	usp_BRMSetCatCod
	Set Currency Code	Sets the Curr code parameter	Pre-edit	Set_Param	1/31/2001 2:33:18 PM	usp_BRMSetCurrent
	Set Scheme	Set Scheme	Pre-edit	Set_Param	1/16/2001 11:46:33 AM	usp_BRMSetSchem
	Set Source Country	Set Source Country	Pre-edit	Set_Param	1/16/2001 11:46:48 AM	usp_BRMSetSource
	Set Start Date	Set Start Date	Pre-edit	Set_Param	1/16/2001 11:46:54 AM	usp_BRMSetStartDa
	Set Trigger Forum	Set Trigger Forum	Pre-edit	Set_Param	1/16/2001 11:47:36 AM	usp_BRMSetTrigger
	Set Trigger To Floor	Set Trigger To Floor	Post-Edit	Set_Param	1/16/2001 11:48:31 AM	usp_BRMSetTrigger
	Sub Price Mod	Sub Price Mod	Pre-edit	Set_Param	1/16/2001 11:48:20 AM	usp_BRSSubPriceM
	Set End Date	Set EndDate param if given else add dayfactor to curr date	Pre-edit	Set_Param_2	2/12/2001 3:31:56 PM	usp_BRMSetEndDat
	Set Trigger To Submitted	Set Trig column to subprice column value	Pre-edit	Set_Param_2	2/24/2001 2:04:41 PM	usp_BRMSetTrigger
	AddMpColumns	Add unmapped columns to the fixed table	Post-Edit	Set_Param_2	3/22/2001 12:24:03 PM	usp_BRGAddMpCol:
	Set OS Parent Cats	Set the OS PArent Categories	Post-Edit	InsUnMappedMPColData	3/22/2001 1:01:02 PM	usp_BRMOSParent(

And the second the sec







H 14 19 Mark




Flgule 16

(801





| m |



Hang, and the

m 15

Figure 19-

1001

			Them brown Mein In			Set Eve
1 CATG : Category	. 2	<u> </u>			<b>S</b>	
2 ONTY Total Quantity Available	Ø	ū			2	
3 MINB Starting Bid Price Unit	Ø					0
4 INCR Bid Price Increments	<b>Ø</b>			D	8	
5 SCHM Scheme	Ø		<u> </u>	·	⊠	· · · · · · · · · · · · · · · · · · ·
6 NAME Manuf Part Number	Ø					
7 HOTI Hat Item					_: □ .	
8 IMAG 'Main Image.	. 8		0			ૄ€
9. URL2 : Thumbnail Image	. 🛭	<u> </u>	Ø		⊠	2
10:URL3 Alt.Image		О	0	<u> </u>	<b>2</b>	€
11 DESC Description	8	<u> </u>			<b>2</b>	
12 STRT   Start Date	- ⊠		0			<u>P</u>
13: ENDD: End Date	· •			. 0	<b>.</b>	&
14 DAYE "Duration					i D	
15 FLDA Item Sequence Num		. О	<u> </u>	<u>: D</u>		
16 FLDB Date Code				<u> </u>		
17: FLDC Manufacturer		; 0			2	
18 FLDD Terms		<u> </u>			. 🖸	5
19.FLDE Seller		: 0			. 0	5
20 FLDF FOB Origin	: 0				0	
21 FLDG Estimate Delivery Time ARQ	0	0				
22 FLDH Packaging						
23 FLDI Warranty					😃 _	<u>.</u>
24 FLDJ Seller Company (OS reserved						
25 FLDK Seller Email (OS reserved fiel					🖸	
26 FLD1 Zip Plus Info	. G	-				
27 FLD2 Seller's Internal Part		 0.0	. 📮		🛛	. [
28 NUMA NUMA						
29 NUMB Original Price	<b>Ø</b>	<u>.                                      </u>			<u> 8</u>	
30 NUMC Number 420	i a	П				<u>C</u>
31 INTA Event D		<u> </u>	. 0			<u> </u>
				<b>(3)                                    </b>		XXX

Tisure 20A

alia di	Self-vent of	Indig Parish & Cale		di Managaran	n Kanasea	haya Karasa aya				
✓.		V		000			38 50mm	Solet (i		
Ø			: 0	8	f				سبح	
2					<del></del>	1				
2		· 0		0.00	:		ALA II		. '	
2	9	. 0			;				AUC	-
<b>2</b>		<u> </u>				*		0		
	C		. 0	yes/no						-
<b>∑</b>	<u> </u>							Ö	•	
<b>₹</b>	<u> </u>	- 2			-				* ***	
	<u> </u>				-	•				
	8	<u> </u>	<u>D</u>			er to the sales of the sales of the sales			•	
2	<u> </u>		<u> </u>		config	, eventdata	startdate			
			: <u>U</u>		coulid	eventdata	enddate			
<u> </u>			· <del></del>			i				
百十	<u> </u>	<u> </u>								_ :
☑		<u> </u>								
	₩	<u> </u>			config.	i i i i i i i i i i i i i i i i i i i			<u>;                                    </u>	
	Ø	<u> </u>			config	auctioninate member			- <b>Q</b>	:
	Ø				config	auctionmate member		0	- <del>,</del>	
	Ø				config	auctionmate membe	as :useri			
	Ø			i	cenfiq	auctionmate membe				_ *
	Ø	Ω .		i	config	auctionmate membe			-	
	П			i	· · · · · · · · · · · · · · · · · · ·			0	•	
	2						:	=-		
	<u> </u>	□ .		•	-					•
<b>2</b>			🖳		-		• • •		-	•
⊡			<u>_</u>	0.00				· 🗖		4
	<u> </u>								•	
LL *3/3/1/\	M ~~~~~~			000000	config	evenidata	user2		:1	
\$2.03		*********	000000					XXXX	XXXXX	टार्डी


1012 1013 1014 1015 1016 1017 1018 1019

F.'90 re 20B


×	Sation	and the same							334	SMK FF	
	450.1										<u> </u>
				jaan Sanara mada saka	966			CAWARIE	i conservati	S Doran Sans	
*		000	and the state of t			<b>2</b>	X 4043462463	3'			
	<u> </u>	0				<del>- 6</del>	1		-:-	· U	
	<del>-</del>	1			T		<del>-i</del>	9.	-		
-	<u> </u>	: 0.00	- :	<del>i</del>	<del></del>		<del></del> -	91		<del>- 6</del> -	
							AUC	3			
					<del></del>	급	.AUC	60	👸	🖸 🗌	
	급	yes/no	i	<del></del>	<u></u>	<del></del> -	<del>-:</del>	. 1			
		700/110		<del></del>	<del></del>	ᅳ는		60		· 🖁	
_	<u> </u>	<del></del>	<u></u>	<del></del>	<u>.                                      </u>			. 60:	<del>-</del>		
	<u> </u>			<del></del>	:		<del></del> -	60			
			<del></del>		<u> </u>			1250	-6-		
-	<u></u>	<del></del>	config	eventdata	startdate	<del>-</del>	<del></del>	16.	-	, 0	
		<del></del>	, config	eventdata	enddate			16:		~+	
			Coming	Everificato	Funnais		1	10	=		
			:		<del></del>		-:	40:	-5-	: " "	
	Ä.	-			<del> </del>		·	40			
	5							40:	-6-	:	
			config	auctionmate members		📙		40			
			config	auctionmate members		0			-6 -	<u> </u>	
	ū		config	auctionmale members	-	ū		. <u>40</u> 40	🗒 -	:	
			config	auctionmate members				40		<u></u> -	
	<u> </u>		config	auctionmate members				40.	_==		
	.g		config	auctionmate.members		¦-	- <u>i</u>		<u>.</u>		
	<del>-</del>	· · · · · · · · · · · · · · · · · · ·	i i i i i i i i i i i i i i i i i i i	i medominacinemineis	1	_ <u>_</u>		40			
	<u>.</u>	<del></del>	<del></del>		:		+	40:	<del>-</del>		
					<u>.                                      </u>		<del></del>	60:			
			<del>- j · ·</del>		<del> </del>			60		<u></u>	
	<u></u>		<del></del>		<del> </del>		<del>-</del>	6		T 5-	
		0.00		<u> </u>				6	Ų.	į U	
		(0.00						6;		. 0	
	-H	000000	config	eventdata	usèr2		1				
_		ัดดัดิดัก	CORNG	Exemigra	inselc.	<u>; L.</u>		6;		: _ U !	

1000 1011 1022

Fisure zoc



Cijune zi




H


ij.

]

===


3001






Mapping Capability


Figu19 24.






Figure

16







Application Role Type	Description	App Objects
SUPP	User is a supplier of data to be	Inventory {SUPPID}
	managed by the Service. A	Reporting {SUPPID}
	SUPP user has one supplier id	1 3( )
	associated with one supplier.	
SUPP ADMIN	User performs administrative	Supplier {SUPPID}
	functions on behalf of the	Supplier.Data.Update
	supplier. Functions include	Supplier.User.Insert
	managing supplier users,	Supplier.UserUpdate
	updating supplier data,	
	generating usage reports. A	
	SUPP ADMIN is associated	
	with only one supplier.	
MP SUPP	A marketplace user performing	Inventory {AuthorizedSUPPID}
	the service on behalf of a	Reporting {AuthorizedSUPPID}
	supplier. A user can have one or	0
	more suppliers assign. For	
	multiple suppliers, the user must	:
	specify the supplier at logon.	
	User with this role only load to	,
	their specific marketplace.	
MP ADMIN	User performs administrative	Marketplace (MPID)
	functions on behalf of a	Marketplace.Data.Update
	marketplace. Functions include	Marketplace. User. Insert •
	managing supplier and	Marketplace. User. Update
	marketplace users associated	
	with the marketplace, and	


Fizur 29

<del></del>	<del></del>	
	generating usage reports. A MP ADMIN is associated with only one Marketplace.	
PSSI SUPP	Performs the supplier user	Inventory (SUPPID)
	function for a supplier. The User can perform this function for multiple suppliers.	Reporting (SUPPID)
PSSI SUPP	Performs the supplier	Supplier {SUPPID}
ADMIN	administration functions for a	Supplier.Data.Update
	supplier.	Supplier.User.Insert
		Supplier.UserUpdate
PSSI MP SUPP	Performs the marketplace	Inventory (AuthorizedSUPPID)
	supplier functionality for a	Reporting {AuthorizedSUPPID}
	marketplace and supplier. User	
	has to select both the supplier	·
	and marketplace.	
PSSI MP ADMIN	Performs the marketplace	Marketplace {MPID}
	administrative functions for a	Marketplace.Data.Update
	marketplace. User selects from a	Marketplace.User.Insert
	list of assigned marketplaces.	Marketplace.User.Update
PSSI ADMIN	GOD!	Marketplace {ALL}
		Marketplace.Data.Insert
		Marketplace.Data.Update
	The second secon	Marketplace.User.Insert
·		Marketplace.User.Update
		Supplier {ALL}
		Supplier.Data.Insert
		Supplier.Data.Update
		Supplier.User.Insert
	<u> </u>	Supplier.UserUpdate







32 - 719UNE




33 F150re-



J. June 34



Ligure 35



H H B Store

Figure 37

You					
eleO noilennoisneil	Column 6		Column 6		Column 6
ele <sup>Q</sup> noilevine <sup>Q</sup>	Column 5		Column 5		Column 5
eled Filiening	Column 4		Column 4		Column 4
Data Cleansing	Column 3		Column 3		Column 3
<sub>eniqde</sub> M	Column 2		Column 2		Column 2
səluh Rasociation		1		1	
ssənisu8 səluA veisossA	Column 1		Column 1		Column 1
	Row 1		Row 2		Row N

Figure 38